

Price list of LEGEND 600 – K (Kanardia)		valid from 01.04.2025
All prices listed do not include VAT	Price (EUR)	
Basic price of the Legend 600 – K (912 ULS)	144 265	
Basic price of the Legend 600 – K K (Dual)	146 525	
Basic price of the Legend 600 – K iS (912 iS)	152 090	
Basic price of the Legend 600 – K K iS (Dual and 912 iS)	154 350	
The basic price of the Legend 600 aircraft includes: DUC Swirl 3 propeller, single colour paint in white or light colour, gas springs – door opening and closing, roof panel for cabin interior, headrests, adjustable seats with upholstery including leather edges, leather armrests, carbon instrument panel, anatomically shaped control yoke with PTT and trim control, central control console with throttle and brake levers, four-position fuel selector, electrically controlled flaps, electrically controlled trim with double control and position indicator, illuminated fuel indicators, oil preheating from the heat exchanger, two-zone flap-controlled fresh air (cold) ventilation, tunnel side walls, mesh tie down for attaching luggage, gascolator with a drain valve, composite antenna and all other basic equipment listed below:		
BASIC EQUIPMENT		
Aerodynamics		
Aerodynamic package (wheel & strut covers)		
User comfort		
Door upholstery		
Door pockets with bottle carrier and space for personal items		
Two-zone heating from engine heat manifold		
Ventilation windows		
Sun visors tinted		
Carpet on the front floor (black colour)		
Footwell side wall finish in front runner		
Functionality		
Static ports		
Oil thermostat		
Coolant thermostat		
Auxiliary fuel pump (for Legend 600 – K and Legend 600 – K K)		
Centre fuel tank including signalling and automatic pump filling (for Legend 600 – K iS and Legend 600 – K K iS)		
Kanardia Glass Cockpit		
Nesis III 8,4 with a touch display (for Legend 600 – K and Legend 600 – K iS)		
Combo including a backup source 0,35 Ah (for Legend 600 – K and Legend 600 – K iS)		
Digi slave (for Legend 600 – K and Legend 600 – K iS)		
Dual Nesis III 8,4 with a touch display (for Legend 600 – K K and Legend 600 – K K iS)		
UPS 12 V – 1,2 Ah (for Legend 600 – K K and Legend 600 – K K iS)		
Amigo (autopilot panel)		
2x servo		
Avionics		
Radio Trig TY91		
Transponder Trig TT21		

Socket 12 V	
Double socket USB	
Lighting of the fuel indicator	
Lights	
Lighting package	
Engines	
Rotax 912 ULS – 100 HP (for Legend 600 – K and Legend 600 – K K)	
Rotax 912 iS 2 Sport (for Legend 600 – K iS and Legend 600 – K K iS)	
Propeller	
Three-blade fixed (ground adjustable) DUC Swirl 3 propeller	
Safety	
Ballistic rescue system GRS 6/600 SD S-LSA	
EXTRA EQUIPMENT	
Exterior design	
Colour foil design	400
Colour foil design & Sprayed design	830
Colour design on wheel covers	250
Colour design on wing tips	190
Colour design on elevator ends	180
Colour paint on the propeller cone	220
Painted design	1 800
White paint on the floats and construction	850
User comfort	
Leather seat covers	415
Leather door panels	400
Atypical leather colour	400
Rhombus diamond stitching	300
Ceiling upholstery	420
Leather yokes (new order)	1 200
Leather yokes (spare part)	1 600
Phone holder on yokes	550
Box for iPad mini with built-in cooler	400
Lemo headset jacks	400
Engraved dashboard nameplates	400
Aveo Eyebeam cabin headliner dome light	415
Electrically heated seats	780
Forward folding seats for baggage loading	2 000
Photo windows	800
Bigger door windows	300
Mesh pocket on central tunnel	35
Rear baggage carpet floor covering	40

Handling drawbar – nose wheel	165
<b>Functionality</b>	
Bigger fuel tanks with a capacity of 130 Ltr	360
Centre fuel tank incl. signalling and automatic pump filling (extra option for Rotax 912 ULS)	910
Fireproof fuel lines	260
Aeropilot Pitot Probe heated	200
AOA/Pitot Probe heated	530
AOA/Pitot Probe unheated	240
Second landing light on the wing	690
Four-piston brakes	300
Differentiated pedal foot brakes	1 100
Beringer brakes and master cylinder	2 600
<b>Avionics</b>	
Magnetic compass	100
Lock ignition on the dashboard panel	180
Emergency position transmitter ELT ACK E-0,4	1 170
Flap module	220
Flap panel – external flap indicator	380
Flap control on the dashboard	440
<b>Engine</b>	
Rotax 916 iS 2A including installation cost	35 170
<b>Propellers</b>	
Three-blade fixed (ground adjustable) Bolly BOS3 propeller	- 260
Three-blade fixed Helix propeller	1 740
<b>Electrically adjustable propeller for the engines Rotax 912 – 914 – max. 114 HP:</b>	
Three-blade electrically adjustable Neuform CR3-V-80 propeller including constant speed	5 350
<b>Hydraulically adjustable propeller for the engines Rotax 912 – 914 – max. 114 HP:</b>	
Three-blade hydraulically adjustable KW-21BNM propeller including hydraulic regulator	3 700
<b>Safety</b>	
Ballistic rescue system GRS 6/600 SD DULV	500
<b>Floats</b>	
Amphibious four-wheel floats including the construction	21 950
<b>Other service</b>	
Disassembly and packing the aircraft	625
Disassembly and packing the aircraft and floats	990
Loading the aircraft into a 40 container	500
Transport of aircraft from the airport in Zbraslavice (LKZB) to an airport of destination	To be calculated